



# Sexually Transmitted Infections - Bacterial

transmitted by sexual contact, anal, oral, genital, and skin-to-skin contact.

Some bacterial STIs can cause permanent damage to a woman's reproductive system. This can make it difficult or impossible to become pregnant.

Each of these infections can cause serious health problems, such as pelvic inflammatory disease (PID), which can lead to infertility. It is very important to get tested and treated if you have any symptoms.

Often there are no symptoms.

# Sexually Transmitted Infections - Viral

are transmitted by sexual contact, oral sex with a partner who has a genital infection, and sharing needles.

Herpes Simplex Virus (HSV) is a common viral STI. It is often asymptomatic, but can cause outbreaks of sores. It is transmitted through direct contact with the virus.

Herpes can also be transmitted through oral sex with a partner who has a genital infection.

Hepatitis B is spread through direct contact with the virus. It is often asymptomatic, but can cause liver disease. It is transmitted through sexual intercourse, sharing needles, and from mother to child during childbirth.

What are the most common signs and symptoms of \_\_\_\_\_ "of" \_\_\_\_\_ -

I can recognize the possible signs and

# Here are some ways to help protect you from a sexually transmitted infection...

## 1. Abstinence

sex in the past.

Teaching Social CAJON VALLEY

## 2. Use Condoms if You Are Sexually Active

Use a condom every time you have sex.

Remember, there are four STIs that can be passed to you even if you use a condom. They are gonorrhea, chlamydia, syphilis, and HIV. These infections can be passed to you even if you use a condom. And also condoms can't protect you from herpes and HPV. So always use a condom every time you have sex.

When using a condom, make sure you use it correctly. And also condoms can't protect you from herpes and HPV. So always use a condom every time you have sex.

MOLL


Teaching Social CAJON VALLEY

## Many STIs don't have symptoms but they can cause serious health problems.

It's important to get tested.

Getting tested if you are sexually active. Consider getting tested if you are sexually active. Getting tested if you are sexually active. Consider getting tested if you are sexually active.

Teaching Social CAJON VALLEY



# البيانات

1




2

3

4

5









--